

1/17

Effect of 22-day Avemar-treatment (p.o.)
on adjuvant arthritis in Wistar rats
(injected foot pad)




Figure 1

2/17

Effect of 22-day Avemar-treatment (p.o.)
on adjuvant arthritis in Wistar rats
(non-injected foot pad)




Figure 2

3/17

Fig. 3




Fig. 4





Fig. 5



SUBSTITUTE SHEET (RULE 26)

4/17

Fig. 6

Effect of Avemar-treatment (p.o.) on
adjuvant arthritis in Wistar rats on the
14th day (non-injected foot pad)




Fig. 7

Effect of Avemar-treatment (p.o.) on
adjuvant arthritis in Wistar rats on the
18th day (non-injected foot pad)





Fig. 8

Effect of Avemar-treatment (p.o.) on
adjuvant arthritis in Wistar rats on the
22nd day (non-injected foot pad)



SUBSTITUTE SHEET (RULE 26)

5/17




Figure 9

6/17

Effect of Avemar-treatment (p.o.) on the
body weight of Wistar rats on the 22nd day




Figure 10

7/17

Effect of 35-day Avemar-treatment (p.o.)
on adjuvant arthritis in Wistar rats
(injected foot pad)




Figure 11

8/17

Effect of 35-day Avemar-treatment (p.o.)
on adjuvant arthritis in Wistar rats
(non-injected foot pad)




Figure 12.

9/17

Fig. 13

Effect of Avemar-treatment (p.o.) on
adjuvant arthritis in Wistar rats on the
28th day (injected foot pad)




Fig. 14

Effect of Avemar-treatment (p.o.) on
adjuvant arthritis in Wistar rats on the
32nd day (injected foot pad)





Fig. 15

Effect of Avemar-treatment (p.o.) on
adjuvant arthritis in Wistar rats on the
35th day (injected foot pad)



10/17

Fig. 16 Effect of Avemar-treatment (p.o.) on adjuvant arthritis in Wistar rats on the 28th day (non-injected foot pad)




Fig. 17 Effect of Avemar-treatment (p.o.) on adjuvant arthritis in Wistar rats on the 32nd day (non-injected foot pad)





Fig. 18 Effect of Avemar-treatment (p.o.) on adjuvant arthritis in Wistar rats on the 35th day (non-injected foot pad)



11/17




Figure 19

12/17

Effect of Avemar-treatment (p.o.) on the
body weight of Wistar rats on the 35th day




Figure 20





Figure 21

**Figure 22**




Figure 23

**Figure 24**



Figure 25

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☒ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.